



## TECHNICAL RIDER SAT! TEATRE 2023.7.1 Version

---

### STAGE DIMENSIONS

#### Proscenium arch

Wide: 11,1 m

Height: 6 m

#### Stage

Height: 16,7m

Wide: 11.1m

Depth: 9m

Useable right wing depth: 10,7m

Useable left wing depth: 9,9m

#### Apron stage

Wide: 11,1m

Depth: 1,7m (center)

#### Height

Floor of the stage to grid: 12,15m

Audience seats to stage: 0,8 m

#### Grid

6 motorized LX pipes

2 motorized LX pipes under the side balconies on 1<sup>st</sup> floor

13 black box drapes manual pipes

#### Others

Stage floor wood painted black

Blue Stage main curtain. Manual opening.

Blue Main Stage border.

Black box

10 legs 6m x 2,5m

5 borders 12m x 2m

1 back drop in two pieces 12m x 6m

White PVC Cyclorama 12 m x 6 m

Black dance floor. 5 rolls 11m x 2m

Aluminum ladder v form, extendible till 6m

Electric lift (access to the stage ) for wheelchairs at the stage right side of the apron stage

### SOUND

#### P.H.

4 speakers d&b 10S-D loudspeakers

2 speakers d&b 18S-SUB subwoofers

1 amp 4ch d&b 30D amplifier

#### Monitors

4 speakers SR 22 SM MusicaPro 400 W

1 amp Digam 3000 PowerSoft



### **Control**

Behringer Digital Stage Box (32 IN/16 OUT)  
Behringer X32 Digital Mixer with 32 input xlr + 6 line input + 16 output xlr + 6 line output  
1 MD Sony MDS-JE 480  
1 double CD Numark with pitch control and single mode  
6 Walkies Vertex Standard PMR-446

### **Microphones**

3 AKG C398 Condenser microphones  
2 Shure SM 58  
3 DI box SAMSON S DIRECT  
1 wireless microphones handheld SHURE BLX-24/SM 58  
2 wireless microphones handheld SHURE BLX-24E-PG58 H8E  
8 microphone stands

### **VIDEO**

1 projector SANYO PLC-XU105 4500 lumens with support to hang it  
1 projector HITACHI 2000 lumens  
1 video editing table - 4 channels EDIROL V-4  
1 signal converter KRAMER VP-501 XL  
Connection video stage to control (VGA and HDMI)

### **LIGHTING**

#### **Control**

Light desk LT HYDRA II  
36 dimmer channels 3 Kw  
24 dimmer channels 2,5 Kw  
12 dimmer channels 5 Kw

#### **Fixtures**

11 profiles ETC Source Four Zoom 25°/50° 750w  
9 profiles ETC Source Four 50° 750w  
8 led profiles Prolights ECL 25°/50°  
12 PC ADB C101 1Kw  
16 PC Lampo 1Kw  
10 Fresnel Lampo 1Kw  
36 PAR 64 CP# 60/61/62 (ask for available quantity of each)  
4 ADB Assymetric 1Kw  
4 Domino Assymetric 1Kw  
5 Prolights led ECL CYC 50 RGBWA

1 follow spot Lancer 1200 HMI

All the fixtures are equipped with barn doors, frame and security chain

#### **Others**

8 booms 3m height  
6 Iris ETC Source Four Zoom  
4 gobo holder A-size ETC Source Four Zoom  
2 gobo holder B-size ETC Source Four Zoom

**sat!**  
teatre